



**Safety Hinge**

**Sensors**

# PS38H

## Safety Hinge

To add to its range of safety devices, Carlo Gavazzi has created a new hinge with multiple integrated circuit which can suit all applications where high security is combined with a modern and sophisticated design.

Thanks to its small size and numerous mounting options and connections (cable/connectors), the device is easily installed on most common aluminium profiles (minimum width 30 mm.).

Its installation is also facilitated by a safety switch integrated into a single body, thus avoiding the need to separately install a mechanical hinge and a safety switch connected via a special pin.



## Versatile safety hinge

- Integrated safety switch
- Easy to install
- Minimum installation width: 30mm
- Dimensions D 110 x W 30 x H15
- IP67 with stainless steel components
- Five different configurations for connection

### Conformity

The internal switch is composed of 4 slow action double break contacts (Zb form according to IEC EN 60947-5-1). The positive opening (according to IEC EN 60947-5-1) is guaranteed on all NC contacts.

### Harsh environment

The use of stainless steel components and the degree of protection IP67 permit the hinge to be subjected to frequent washing and to be used in environments where cleanliness and hygiene require maximum attention. Both the self-

- Two different contact configurations 2NO+2NC / 1NO+3NC
- Mechanical durability 1,000,000 operations
- Operational frequency 1,200 cycles/h
- Operating temperature – 20 to + 80 °C
- Safety system of machinery up to SIL 3
- Conforms to EN ISO 13849-1

The use of a redundant system its configuration allows a safety system of machinery up to SIL 3 or PLe according to EN ISO 13849-1.



extinguishing body of the hinge and the rotation pin are made of high-rigidity technopolymer capable of resisting solvents, oils, greases and various chemical agents.

## How to increase the safety

The angle of action is set at the factory to 5°. This angle and in cosequence, also the angle of the closure of the NO contact and positive opening of the NC contacts can be adjusted by

the installer; in the case of doors of considerable size, the operating angle can be reduced down to 1°, by using a screwdriver on the adjustment screw. The degree of protection IP67 is then

assured by inserting the appropriate safety plug (not removable) in the adjustment hole.



**Top axial output  
M12 Connector**



**Top axial output  
2mt. Cable**




**Back output  
2mt. Cable**

## Applications

The safety hinges PS38H, mounted on the profiles of the door, totally replace normal hinges used for the fixing of the door.

Thanks to the integration of the safety unit, is not needed a limit switch for additional safety. The PS38H can be used for access control in high-risk areas.

The safety hinge is used to control the opening of machine doors, for example lathes.



## Selection guide

Code	Description	Connection	NO contacts	NC contacts
PS38H-IT2205-T01	Top axial output	M12 Connector	2	2
PS38H-CT2205-T01	Top axial output	2m UL cable	2	2
PS38H-CT2205-T02	Back axial output	2m UL cable	2	2
PS38H-IT1305-T01	Top axial output	M12 Connector	1	3
PS38H-CT1305-T01	Top axial output	2m UL cable	1	3
PS38H-CT1305-T02	Back axial output	2m UL cable	1	3
PS38H-COMP	Complementary mechanical hinge		-	
PS38H-FX1	Mounting bracket		-	
PS38H-FX2	Mounting bracket		-	

## OUR SALES NETWORK IN EUROPE

### AUSTRIA

Carlo Gavazzi GmbH  
Ketzergasse 374,  
A-1230 Wien  
Tel: +43 1 888 4112  
Fax: +43 1 889 10 53  
office@carlogavazzi.at

### FRANCE

Carlo Gavazzi Sarl  
Zac de Paris Nord II, 69, rue de la Belle Etoile,  
F-95956 Roissy CDG Cedex  
Tel: +33 1 49 38 98 60  
Fax: +33 1 48 63 27 43  
french.team@carlogavazzi.fr

### ITALY

Carlo Gavazzi SpA  
Via Milano 13,  
I-20020 Lainate  
Tel: +39 02 931 761  
Fax: +39 02 931 763 01  
info@gavazziacbu.it

### SPAIN

Carlo Gavazzi SA  
Avda. Iparraguirre, 80-82,  
E-48940 Leioa (Bizkaia)  
Tel: +34 94 480 4037  
Fax: +34 94 431 6081  
gavazzi@gavazzi.es

### BELGIUM

Carlo Gavazzi NV/SA  
Mechelsesteenweg 311,  
B-1800 Vilvoorde  
Tel: +32 2 257 4120  
Fax: +32 2 257 41 25  
sales@carlogavazzi.be

### GERMANY

Carlo Gavazzi GmbH  
Pfnorstr. 10-14  
D-64293 Darmstadt  
Tel: +49 6151 81000  
Fax: +49 6151 81 00 40  
info@gavazzi.de

### NETHERLANDS

Carlo Gavazzi BV  
Wijkermeerweg 23,  
NL-1948 NT Beverwijk  
Tel: +31 251 22 9345  
Fax: +31 251 22 60 55  
info@carlogavazzi.nl

### SWEDEN

Carlo Gavazzi AB  
V:a Kyrkogatan 1,  
S-652 24 Karlstad  
Tel: +46 54 85 1125  
Fax: +46 54 85 11 77  
info@carlogavazzi.se

### DENMARK

Carlo Gavazzi Handel A/S  
Over Hadstenevej 40,  
DK-8370 Hadsten  
Tel: +45 89 60 6100  
Fax: +45 86 98 15 30  
handel@gavazzi.dk

### GREAT BRITAIN

Carlo Gavazzi UK Ltd  
4.4 Frimley Business Park,  
Frimley, Camberley, Surrey GU16 7SG  
Tel: +44 1 276 854 110  
Fax: +44 1 276 682 140  
sales@carlogavazzi.co.uk

### NORWAY

Carlo Gavazzi AS  
Melkeveien 13,  
N-3919 Porsgrunn  
Tel: +47 35 93 0800  
Fax: +47 35 93 08 01  
post@gavazzi.no

### SWITZERLAND

Carlo Gavazzi AG  
Verkauf Schweiz/Vente Suisse  
Sumpfstrasse 3,  
CH-6312 Steinhausen  
Tel: +41 41 747 4535  
Fax: +41 41 740 45 40  
info@carlogavazzi.ch

### FINLAND

Carlo Gavazzi OY AB  
Ahventie 4 B  
FI-02170 Espoo  
Tel: +358 9 756 2000  
myynti@gavazzi.fi

### PORTUGAL

Carlo Gavazzi Lda  
Rua dos Jerónimos 38-B,  
P-1400-212 Lisboa  
Tel: +351 21 361 7060  
Fax: +351 21 362 13 73  
carlogavazzi@carlogavazzi.pt

## OUR SALES NETWORK IN THE AMERICAS

### USA

Carlo Gavazzi Inc.  
750 Hastings Lane,  
Buffalo Grove, IL 60089, USA  
Tel: +1 847 465 6100  
Fax: +1 847 465 7373  
sales@carlogavazzi.com

### CANADA

Carlo Gavazzi Inc.  
2660 Meadowvale Boulevard,  
Mississauga, ON L5N 6M6, Canada  
Tel: +1 905 542 0979  
Fax: +1 905 542 22 48  
gavazzi@carlogavazzi.com

### MEXICO

Carlo Gavazzi Mexico S.A. de C.V.  
Calle La Montaña no. 28, Fracc. Los Pastores  
Naucalpan de Juárez, EDOMEX CP 53340  
Tel & Fax: +52.55.5373.7042  
mexicosales@carlogavazzi.com

### BRAZIL

Carlo Gavazzi Automação Ltda.  
Av. Francisco Matarazzo, 1752  
Conj 2108 - Barra Funda - São Paulo/SP  
Tel: +55 11 3052 0832  
Fax: +55 11 3057 1753  
info@carlogavazzi.com.br

## OUR SALES NETWORK IN ASIA AND PACIFIC

### SINGAPORE

Carlo Gavazzi Automation Singapore Pte. Ltd.  
61 Tai Seng Avenue #05-06  
Print Media Hub @ Paya Lebar iPark  
Singapore 534167  
Tel: +65 67 466 990  
Fax: +65 67 461 980  
info@carlogavazzi.com.sg

### MALAYSIA

Carlo Gavazzi Automation (M) SDN. BHD.  
D12-06-G, Block D12,  
Pusat Perdagangan Dana 1,  
Jalan PJU 1A/46, 47301 Petaling Jaya,  
Selangor, Malaysia.  
Tel: +60 3 7842 7299  
Fax: +60 3 7842 7399  
sales@gavazzi-asia.com

### CHINA

Carlo Gavazzi Automation  
(China) Co. Ltd.  
Unit 2308, 23/F.,  
News Building, Block 1, 1002  
Middle Shennan Zhong Road,  
Shenzhen, China  
Tel: +86 755 83699500  
Fax: +86 755 83699300  
sales@carlogavazzi.cn

### HONG KONG

Carlo Gavazzi Automation  
Hong Kong Ltd.  
Unit 3 12/F Crown Industrial Bldg.,  
106 How Ming St., Kwun Tong,  
Kowloon, Hong Kong  
Tel: +852 23041228  
Fax: +852 23443689

## OUR COMPETENCE CENTRES AND PRODUCTION SITES

### DENMARK

Carlo Gavazzi Industri A/S  
Hadsten

### MALTA

Carlo Gavazzi Ltd  
Zejtun

### ITALY

Carlo Gavazzi Controls SpA  
Belluno

### LITHUANIA

Uab Carlo Gavazzi Industri Kaunas  
Kaunas

### CHINA

Carlo Gavazzi Automation (Kunshan) Co., Ltd.  
Kunshan

## HEADQUARTERS

Carlo Gavazzi Automation SpA  
Via Milano, 13  
I-20020 - Lainate (MI) - ITALY  
Tel: +39 02 931 761  
info@gavazziautomation.com



**CARLO GAVAZZI**  
Automation Components

*Energy to Components!*

www.gavazziautomation.com

